

Charging Cable Mode 3

Type 2 20A 1PH 7.5m



MENNEKES charging cable Mode 3
For the charging of electric and
hybrid vehicles at charging stations.

- According to Mode 3
(IEC 61851)
- Vehicle end: vehicle connector
type 2 (IEC 62196-2)
with protective cap
- Infrastructure end:
EV plug type 2 (IEC 62196-2)
- Charging current 20 A
- Single phase
- Cable length 7.5 m

MENNEKES
Elektrotechnik GmbH & Co. KG
Spezialfabrik für Steckvorrichtungen
Aloys-Mennekes-Str. 1
D-57399 Kirchhundem

Tel. +49 (0) 27 23 / 41-1
Fax +49 (0) 27 23 / 41-2 14
E-Mail info@MENNEKES.de
Internet www.MENNEKES.de

Service by
MENNEKES®.
Always well
informed.


Technical changes reserved

Art.-Nr. 36244

Technical Data

Type	Charging Cable Mode 3 Type 2 20A 1PH 7.5m
Part number	36244
Rated voltage	230 V AC \pm 10%
Rated frequency	50 Hz
Rated current	20A
Charging power	Max. 4.6 kW
Cable cross section data [mm ²]	3 G 2.5 + 0.5
Cable type	H07BQ
Charging mode	Mode 3 acc. IEC 61851-1
Plugs and sockets	acc. IEC 62196-2
Protection class plugs	IP44
Weight	2.4 kg

Delivery Contents



- A Mode 3 charging cable
- B Operating manual